

The Linux version of C-Monitor is mainly intended for monitoring of servers, therefore it was necessary, that the installation could be performed remotely through a text terminal, i.e. in text mode.

The installation file is usually named *CMonitor-LinuxFreeBSD-installer-and-update<version>.sh*. In the following we will consider C-Monitor version 2.6.5014.0, so the name of the installation file is *CMonitor-LinuxFreeBSD-installer-and-update2.6.5014.0.sh*.

When the installation file is successfully saved in the current directory, we shall launch the installation process, the easiest way is by the command **sh CMonitor-LinuxFreeBSD-installer-and-update2.6.5014.0.sh**

Usually, not all dependencies are fulfilled at the first installation, so the system will offer automatic installation of the required packages for a supported OS. The situation on the screen may look like this:

CMonitor Installer

Checking OS version... SUPPORTED (Linux Ubuntu 10.04)

Checking dependencies

Checking for java... found 1.6.0_20

Checking Java VM... OpenJDK

Checking for smartctl... NOT FOUND

Installing required packages

OS: Linux Ubuntu 10.04

Command:

apt-get update

apt-get install \

openjdk-6-jre \

coreutils grep \

gawk bc procps net-tools \

dmidecode smartmontools sysstat \

bwm-ng

Execute command? [n]:

Installation of the required packages is confirmed by pressing y and ENTER. When the packages are succeessfully installed, the installation will automatically re-run and all dependencies are checked



again. If they're all met, the process will continue by the very installation. After copying all files and launching c-monitor's daemon, if the cmonitor wasn't registered yet, the process of registration to CM server will now start. In each step, enter the required registration information.

Registering copy

CM Server [cmportal.eu]:

Customer name []:

Computer ID in predefined format [xxxyynn]:

- 1 Desktop BASIC
- 2 Desktop STANDARD
- 3 Server / Desktop PREMIUM

Choose licence type [3]:

- 1 Non-stop running, critical e.g. server
- 2 Non-stop running, non-critical
- 3 Normally used, e.g. workstation
- 4 Occasionally turned on

Priority number [1]:

Name of user of this computer []:

E-mail of user of this computer []:

Phone number of user of this computer []:

Computer location []:

The C-Monitor version has to be registered to CM server only at the first installation.

After successful registration, you'll see this message:

cmonitor-ctrl: Daemon answered: (OK) Registration succesfull, CMonitor is running.

C-Monitor will automatically begin to communicate with the CM server

Temporary elusion of problems with external dependencies

If for some reason certain external dependencies cannot be solved and installed easily, some might be skipped during the check.

The installation bust be launchedwith the option -i, hence by the command



sh CMonitor-LinuxFreeBSD-installer-and-update2.6.5014.0.sh -i

In this mode, certain system information will not be collected, although CMonitor will run in a basic mode.

The check of dependencies and automatic installation of required packages may be performed later by the command

cmonitor-resolvedeps

Verification of the installed version

To verify functional communication, look either into CMonitor's log, or check on the CM server web.

The path to the log is

/var/log/cmonitor/cmonitor.0.log

Pri úspešnej komunikácii sa v logu objavujú hlášky napríklad:

22.11.2010/17:29:56 INFO HttpThread: req:1/Ok

22.11.2010/17:30:02 INFO HttpThread: req:2/Ok

22.11.2010/17:30:07 INFO HttpThread: req:3/Ok

The second option is to look up the registered computer on CM portal. According to the next image, in the section *Admin zone -> Main menu -> Computers ->* search for a concrete computer using the upper filter. If the PC is online, the field in the column *Last connection with CM* is highlighted in light-blue.

				×	: 🖬 🖬 👘	Úvodný prehľad 🛛 🥑 Kredi	🍸 Manual 🙂 Odi	hlásiť
	Admin zóna	Prehliadanie a Vyhodnotenie	Customer Desk				Správca: Správca	C
Zhalf vieße Rochalf vieße	引 Počítače		2					?
- Havné menu Zákamici Rozzacia	Spoločnosť Licencia	Počitač & Umiestner • Oš	nie compc06 Poud	in.Email Len zapoličané PC	Operátor	Hfadat		×
Audit SW a evidencia HW	Zoznam počítačov [zob	razená 1 položka z celkového p	očtu 2720] 🛛 🚯	ditovať označené	Odiniltalovat	C-Monitor z označených	Zmazať označené	
Použivatelia Nój profil, globálne nastavenia	X Id CHI-ID počitača	Meno Umiestner počitača v počitača	nie Použivateř S	położnosť Aktuálny stav	Registrácia počítača v CM	Licencia CIII Post. odoslaný email do CIII	Posl. online spojenie s CM	
Operátori a Skupiny Zákaznicke kontá Používateľská história	E 8299 COMPC86	cmonitor- ub6.sh.local	Te 1 U	stCompany nyvoj CM Fusikôný NUX	19.07.2912	Server / Deaktop PREMILIII 22, Nov 2011 (Linux Ubunta 16:03:35 8.04)	3, 22. Nev 2012 10:18:42 Prehľad	Editovať
- Admin adaptasis								

Image: Overenie správnej funkčnosti C-Monitor Linux klienta Date:



Links [1] https://www.customermonitor.co/sites/default/files/linux.png