

E-mail looping test by CM Watches is a great tool for monitoring of real twoway function of mail systems.

It offers a reliable and complex information about function of reception and sending of emails on the monitored mail servers.

The monitoring is suitable for classic SMTP and POP3 servers, as well as for MS Exchange.

For two-way monitoring one one mail server's function, create a CM-Watch with two E-mail looping test conditions.

For more detailed information about creation of CM-Watches with required conditions, <u>read here</u> [1].

New Watch	
Conditions	
Name (Description)	Short Name
E-Mail Loop Test	W3
C Enabled	
💠 🐌 🗙 🕸 습 🖓 🖌	
Conditions	
Successful E-MailLoopTest smtp.company2.sk->pop3.company.sk, check every 10min; Value to CM : Yes	
2 Successful E-MailLoopTest smtp.company.sk->pop3.company2.sk, check every 10min; Value to CM : Yes	
State of watch is: OK if all conditions are true FAIL - if at least one condition is false If state of the watch changes to FAIL, do Start Actions (Add New Start Actio While state of the watch is FAIL, do Repeat Actions (Add New Repeat Action If state of the watch changes to OK, do End Actions (Add New End Action)	
If state of the watch is UNKNOWN, notify this by options in actions	
Delay for FAIL state. (Useful for supressing short term FAIL state)	
Evaluate watch state with longer period than 30s (specified by C-Monitor license)	
Note: Watches are active from 5 min after the operating system start	
Edit with Wizard OK	Cancel

Image: Obrázok: CM-Watch pre obojsmerné sledovanie E-Mail looping test

The first condition will send a testing message through a reliable SMTP server, ideally completely outside the network that your POP3 server is in, whose function you want to monitor. It is recommended to use a reliable thrird-party SMTP server.



Email looping test (Watches)

Published on Customer Monitor (https://www.customermonitor.co)

The image illustrates a typical setting:

Condition Definition

Available Functions		E-Mail Loop Test				
Current IP		SMTP Server [Port]				
Performance Counter		smtp.company2.sk				25
Hardware Monitoring		Authentication [SMTP Login] [SMTP Pase				aword]
Ping		Simple Login User				
Ping RoundTripTime		Send E-Mail From Send E-Mail To				
Ping Packet Loss			÷			
SMTP		smtp.tester@company2.sk mailtester@company.sk			Company.sk	
POP3		[Wait sec]				
HTTP, HTTPS		120				
Transfer Speed		POP3 Server				[Port]
Transfer speed of FTP	٦I	pop3.company.sk				110
SNMP		Authentication	(POP3 Logir	ן 1	[POP3 Pass	word]
Environment Monitoring (snmp)		Simple Login 🛛 👻	user		******	
Environment Monitoring (http) E-Mail Loop Test		Operation Test F	Period Unit			
EventLog Events Count		Successful 👻 10	min	-		
CHAT	Ξ					
CHAT Variable		-Value from this cond	dition send	to CM serv	ver	
CHAT Numeric Variable		Always				
CHAT Vector Variable		Never				
Service Status						
Loaded Device Driver		Assess the state of wa				
Running Process	-					
n · u n						
					ОК	Cancel

Image: Obrázok: POP3 E-Mail looping test

The execution process of the first condition is illustrated on the image:


1. Submission of testing message from CM-Watch through SMTP server to address mailtester@company.sk

2. SMTP server sends the message to the target POP3 server

3. After expiry of the time limit defined in the field "Wait", CM-Watch detects if the test message is in the POP3 mailbox on pop3.company.sk

- -

X



E-Mail looping Test

Image: Obrázok: Priebeh procesu vykonávania podmienky E-mail Looping test (testovanie funkčnosti POP3 servera).

The second condition will send a testing message through your SMTP server to POP3 server, which is ideally completely outside the network that your SMTP server is in, whose function you want to monitor. It is recommended to use a reliable thrird-party POP3 server.

The image illustrates a typical setting:



Email looping test (Watches)

Published on Customer Monitor (https://www.customermonitor.co)

Condition Definition


Available Functions	E-Mail Loop Test				
Current IP	SMTP Server	[Port]			
Performance Counter	smtp.company.sk	25			
Hardware Monitoring	Authentication [SMTP Login] [SMTP Pa				
Ping	Simple Login user	ISSWOID]			
Ping RoundTripTime					
Ping Packet Loss	Send E-Mail From Send E-Mail To				
SMTP	smtp.tester@company.sk mailtester@company2	sk			
POP3	[Wait sec]				
HTTP, HTTPS	120				
Transfer Speed	POP3 Server	[Port]			
Transfer speed of FTP	pop3.company2.sk	110			
SNMP	Authentication [POP3 Login] [POP3 Pa	seword]			
Environment Monitoring (snmp)	Simple Login Viser	ssmoldj			
Environment Monitoring (http)					
E-Mail Loop Test	Operation Test Period Unit Successful - 10 min -				
EventLog Events Count	Successful 👻 10 🦷 min 👻				
CHAT					
CHAT Variable	Value from this condition send to CM server				
CHAT Numeric Variable	Always				
CHAT Vector Variable	Never				
Service Status					
Loaded Device Driver	Assess the state of watch				
Running Process					
	ОК	Cancel			

Image: Obrázok: SMTP E-Mail looping test

The execution process of the first condition is illustrated on the image:

- 0

X



Počítač s nainštalovaným C-Monitorom a nastaveným sledovaním CM-Watches E-Mail looping Test

Image: Obrázok: Priebeh procesu vykonávania podmienky E-mail Looping test (testovanie funkčnosti SMTP servera).


After setup of the two-way Email looping test, the function of your mail system will be very well monitored.

The operator can view the CM Watch's evaluation either directly in <u>C-Monitor</u> <u>console</u> [2] > Watches state, or via <u>CM Portal</u> [3] > Presentation and Evaluation > Watches (Online monitoring).

Notification is secured defaulty by email notification at change of CM Watch's state, eventually also by SMS, if this is configured in the <u>CM Watch's action</u> [4]. Date: 02/11/2012Images:



Email looping test (Watches) Published on Customer Monitor (https://www.customermonitor.co)





Links

[1] https://www.customermonitor.co/how-cm-works-0/monitoring-and-diagnostics/introduction-setup-online-monitoring-watches

[2] http://en.customermonitor.co/how-cm-works-0/monitoring-and-diagnostics/introduction-setting-online-monitoring-watches/basic-watch

[3] http://en.customermonitor.co/how-cm-works-0/monitoring-and-diagnostics/introduction-setting-online-monitoring-watches/basic-wat-0

[4] http://en.customermonitor.co/how-cm-works-0/monitoring-and-diagnostics/introduction-setting-online-monitoring-watches/settings

[5] https://www.customermonitor.co/sites/default/files/Email%20Loop%20Test%201.png

[6] https://www.customermonitor.co/sites/default/files/Email%20Loop%20Test.png

[7] https://www.customermonitor.co/sites/default/files/Email%20Loop%20Test%202.png

[8] https://www.customermonitor.co/sites/default/files/obrazok.png

[9] https://www.customermonitor.co/sites/default/files/obrazok%202.png